







CATALOGUE OF INVELT MILLS





Nominal size	39" x 66"	Center line distance of bearings	2650 mm
Mil top and bagasse roller outer dia x shell length	992 mm x 1680 mm	Center line distance of mill roller pinions	945 mm - 1015 mm
Mill cane roller outer dia x shell length	972mm x 1680 mm	Center line distance of 4th roller pinions	985 mm - 1050 mm
Mill roller journal dia x length	480 mm x 560 mm	Hydraulic piston diameter	350 mm
4th roller outer dia x shell length	900 mm x 1640 mm	Hydraulic pressure - max	267,5 bar
4th roller journal dia x shell length	250 mm x 560 mm	Top roller lift - max	43 mm
		Delivery	02/2009



Six-roller cane mill 43" x 86" New Krung Thai Sugar Factory Co., Ltd. Thailand



Nominal size	43" x 86"
Mill roller outer dia x shell length	1100 mm x 2200mm
Mill roller journal dia x shell length	520 mm x 650 mm
Pressure feeder roller outer dia x shell length	1020 mm x 2200 mm
Pressure feeder roller journal dia x length	260 mm x 350 mm
Under feed roller outer dia x shell length	800 mm x 2200 mm
Center line distance of bearings	3350 mm

Center line distance of mill roller pinions	1075 mm - 1170 mm
Hydraulic piston diameter	390 mm
Hydraulic pressure - max	285 bar
Hydraulic lift - max	50 mm
Tail bar square x length	440 mm x 2200 mm
Delivery	08/2009

Four-roller cane mill 36" x 66" Sucraalcoholera del Chira S.A., Peru



Nominal size	36" x 66"
Mill top bagasse roller outer dia x shell length	912 mm x 1680 mm
Mill cane roller outer dia x shell length	882 mm x 1680 mm
Mill roller journal dia x length	450 mm x 560 mm
4th roller outer dia x shell length	813 mm x 1640 mm
4th roller journal dia x shell length	250 mm x 560 mm



Center line distance of bearings	2650 mm
Center line distance of mill roller pinions	850 mm x 910 mm
Center line distance of 4th roller pinions	895 mm 950 mm
Hydraulic piston diameter	350 mm
Hydraulic pressure - max	267,5 bar
Top roller lift - max	43 mm
Delivery	03/2009



invelt
group

Invelt Industry International, a.s.

Six-roller cane mill 45" x 90" New Krung Thai Sugar Factory Co., Ltd. Thailand



Nominal size	45" x 90"
Mill roller outer dia x shell length	1150 mm x 2300mm
Mill roller journal dia x shell length	570 mm x 700 mm
Pressure feeder roller outer dia x shell length	1150 mm x 2300 mm
Pressure feeder roller journal dia x length	350 mm x 700 mm
Under feed roller outer dia x shell length	950 mm x 2300 mm
Center line distance of bearings	3350 mm

Center line distance of mill roller pinions	1135 mm - 1235 mm
Hydraulic piston diameter	430 mm
Hydraulic pressure - max	285 bar
Hydraulic lift - max	50 mm
Tail bar square x length	480 mm x 2500 mm
Delivery	08/2009